Author Index of Volume 178

Adnane, L., 71
Allag, S., 117
Allemand, J., 85
Alonso-Vante, N., 305
Amado, M. M., 413
Ansel, D., 447
Auffermann, G., 161

Bärner, K., 237
Begum, R. J., 385
Bensch, W., 193
Bersenev, Yu. S., 403
Beyermann, W. P., 223
Blenk, O., 181
Bohn, M., 447
Bonhomme, F., 161, 167
Boursier, D., 23
Bouzabata, B., 117
Brec, R., 253
Bronger, W., 161
Brun, G., 85
Bucher, E., 181
Buschow, K. H. J., 139, 151

Canepa, F., 125
Cao, L., 41
Chaughule, R. S., 385
Chen, X., 41
Chen Z., 41
Chevalier, B., 413
Chevrel, R., 441, 447
Crişan, V., 379

de Boer, J. L., 369
de Mooij, D. B., 151
de Silva, J. F., 413

Eggenhoffner, R., 125
Eisenmann, B., 431
Esteva, J. M., 297
Etourneau, J., 413
Ettmayer, P., 205

Ferro, D., 101
Fiechter, S., 305
Fischer, C., 305
Fischer, P., 151, 161, 167, 173
Fjellvåg, H., 285
Fossheim, K., 249
Fruchart, D., 15, 23
Fukuda, T., L5
Furuseth, S., 211

Ganin, A. A., 403
Gmelin, E., 237
Godart, C., 217, 223
Görlich, E. A., 423
Govor, G. A., 237
Guillot, M., 15
Gupta, L. C., 217, 385

Haange, R. J., 369
Hamar-Thibault, S., 71
Harbrecht, B., 467
Harris, I. R., 325
Hickey, E., 413
Hönle, W., 455
Horiuchi, H., L5
Huang, B., 173

Ipser, H., 29
Isnard, O., 15, 23
Iyer, R. M., 393

Jánosi, A., 379
Jansen, K., 161
Jobic, S., 253
Jumas, J. C., 297
Jurand, J. M. 297

Kapusi, D., 379
Kapusta, Cz., 139
Karen, P., 285
Karnatak, R. C., 297
Kematick, R. J., 343
Kesri, R., 71
Kianvash, A., 325
Klein, J., 431
Kloc, Ch., 181
Kolbeck, C., 15
Koy, J., 193
Krachler, R., 29
Kulkarni, A. D., 385

L'Heritier, P., 23
Laegrid, T., 249
Lange, A., 237
Łątka, K., 423
Latroche, M., 217, 223
Lengauer, W., 205
Lepine, B., 413
Liautard, B., 85
Lin, J., 455

Mahne, S., 467
Makarov, V. S., 131
Matsumoto, H., L1
Mauger, A., 229
McColm, I. J., 91
Medvedeva, I. V., 403
Meerschaut, A., 351
Meetsma, A., 369
Meshchaninova, L. N., 131
Miraglia, S. 15, 23
Moreau, J. M., 85
Muller, P., 161
Myers, C. E., 343

Nagarajan, R., 217, 385

Olivier-Fourcade, J., 297

Padalia, B. D., 217
Palenzona, A., 125
Patil, S., 217
Piacente, V., 101
Plumier, R., 51
Popescu, V., 379
Py, F., 297

Qian, Y., 41

Rabiller, P., 447
Rabiller-Baudry, M., 441
Raj, P., 385, 393
Ramos, M. A. F., 413
Ravot, D., 229
Reck, G., 305
Riedi, P. C., 139
Rillo, C. 15
Rosenberg, M., 139
Rouxel, J., 253

Sathyamoorthy, A., 385, 393
Scardala, P., 101

Schiffmacher, G., 223
Schobinger-Papamantellos, P., 151
Schulz, W., 305
Schünemann, J.-W., 237
Selsane, M., 223
Selvam, P., 167
Sergent, M., 441, 447
Shashikala, K., 385, 393
Shcherbakova, Ye. V., 403
Shishido, T., L5
Ślaski, M., 249
Solov'ev, N. E., 131
Somer, M., 431
Soubeyroux, J. L., 15, 51
Sougi, M., 51
Sousa, J. B., 413
Suryanarayana, P., 385, 393
Szytuła, A., 1, 249

Tanaka, M., L5
Thompson, J. D., 223
Tomey, E., 15
Tomkowicz, Z., 249
Toyota, N., L5
Tributsch, H., 305
Triscone, G., 161

Ugai, Ya. A., 131

van de Belt, R., 57
van der Lee, A., 57
Vernes, A., 379
Vijayaraghavan, R., 385
von Schnering, H.-G., 455

Wada, H., 315
Ward, J. M., 91
Wesemann, M., 193
Wiegers, G. A., 57, 351, 369
Willeke, G., 181
Womes, M., 297

Yermolenko, A. S., 403
Yoshida, M., 167
Yuan, H., 41
Yvon, K., 161, 167, 173

Zhou, R. J., 139
Zhu, J., 41

Subject Index of Volume 178

A.c. susceptibility
a.c. susceptibility study of quenched and annealed samples of polycrystalline $Bi_{1.65}Pb_{0.35}Sr_2Ca_2Cu_3O_y$, 41
specific heat and a.c. susceptibility measurements of $SmMn_2Ge_2$ and UMn_2Ge_2, 249
Aluminium
magnetic phase transitions in the system La(Fe, Co, Al)$_{13}$ at high pressures, 403
thermodynamics and phase equilibria in the Al–Mn system, 343
Anionic bondings
occurrence and characterization of anionic bondings in transition metal dichalcogenides, 253
Antidiffusion barrier reactivity
niobium antidiffusion barrier reactivity in tin-doped, *in situ* $PbMo_6S_8$-based wires, 447
Arsenic
linear anions $[CuAs_2]^{5-}$, $[AuP_2]^{5-}$ and $[AuAs_2]^{5-}$ in potassium compounds, 431
specific heat capacity of $Mn_{1+\Delta}As_{1-x}Sb_x$ single crystals, 237

Bismuth
a.c. susceptibility study of quenched and annealed samples of polycrystalline $Bi_{1.65}Pb_{0.35}Sr_2Ca_2Cu_3O_y$, 41
Boron
interaction of oxides of 3d transition metals with boron, 131

Calcium
a.c. susceptibility study of quenched and annealed samples of polycrystalline $Bi_{1.65}Pb_{0.35}Sr_2Ca_2Cu_3O_y$, 41
calcium magnesium nickel (0) tetrahydride, $CaMgNiH_4$, containing tetrahedral $[NiH_4]^{4-}$ complex anions: the first quaternary transition metal hydride, 173
Carbides
hydrolysis and structure of carbides related to propadiene, 285
vanadium carbides formed from the melt by solidification in Fe–V–X–C alloys (X≡Cr, Mo, Nb), 71
Carbon
products of crystallization of amorphous alloy of $Fe_{77}Cr_4P_8C_{11}$ and sequences of precipitation, 117
Chalcogenides
structure and photoelectrochemical properties of semiconducting rhenium cluster chalcogenides: $Re_6X_8Br_2$ (X≡S, Se) 305
Chevrel phases
syntheses of bulk and supported Chevrel phases, 441
Cobalt
coercivity in hydrogen-decrepitated Sm_2Co_{17}-type compounds, 23
magnetic ordering in the ternary germanides $U_2Co_3Ge_5$ and UCo_2Ge_2, 413
magnetic phase transitions in the system La(Fe, Co, Al)$_{13}$ at high pressures, 403
Coercivity
coercivity in hydrogen-decrepitated Sm_2Co_{17}-type compounds, 23
Copper
a.c. susceptibility study of quenched and annealed samples of polycrystalline $Bi_{1.65}Pb_{0.35}Sr_2Ca_2Cu_3O_y$, 41
copper in In_2S_3: a study by X-ray diffraction, diffuse reflectance and X-ray absorption, 297
europium valence transition in $EuCu_2Si_2$ and $EuPd_2Si_2$ investigated with ^{119}Sn Mössbauer spectroscopy, 423
linear anions $[CuAs_2]^{5-}$, $[AuP_2]^{5-}$ and $[AuAs_2]^{5-}$ in potassium compounds, 431
neutron diffraction reinvestigation of $Fe_{1/2}Cu_{1/2}Rh_2S_4$, 51
the effect of heat treatment on the microstructure and magnetic properties of sintered magnets produced from Nd–Fe–B based alloys with and without Cu substitution, 325

Crystal structure
a new phase in the Tl–Ag–Te system: crystal structure of $Tl_4Ag_{18}Te_{11}$, 85
crystal and electronic structure of $Tl_xV_6S_8$: relation between thallium abundance and the thallium environment, 193
crystal structure determination of the misfit layer compound $(HoS)_{1.23}NbS_2$, 369
crystal structures and silver ionic conductivities of the new compounds Ag_7NbS_6, Ag_7TaSe_6 and $Ag_{7-x}TaSe_{6-x}I_x$ ($0.1 \leqslant x \leqslant 0.5$), 315
the crystal structure of $Cr_{1.73}Mo_6S_8$, 467
Curium
products of crystallization of amorphous alloy of $Fe_{77}Cr_4P_8C_{11}$ and sequences of precipitation, 117
the crystal structure of $Cr_{1.73}Mo_6S_8$, 467

Diffuse reflectance
copper in In_2S_3: a study by X-ray diffraction, diffuse reflectance and X-ray absorption, 297

Electrical properties
electrical and magnetic properties of the pseudobinary system $(U_{1-x}Th_x)_{14}Au_{51}$, 125
preparation and electrical transport properties of pyrite (FeS_2) single crystals, 181
Electronic structure
crystal and electronic structure of $Tl_xV_6S_8$: relation between thallium abundance and the thallium environment, 193
electronic structure of the intermetallic compound Y_2Ni_{17}, 379
Europium
europium valence transition in $EuCu_2Si_2$ and $EuPd_2Si_2$ investigated with ^{119}Sn Mössbauer spectroscopy, 423
Evansition metal hydride
calcium magnesium nickel (0) tetrahydride, $CaMgNiH_4$, containing tetrahedral $[NiH_4]^{4-}$ complex anions: the first quaternary transition metal hydride, 173

Ferromagnetic materials
hyperfine magnetic field in ferromagnetic UMn_2Si_2 and UMn_2Ge_2, 385
Flux growth
flux growth and characterization of a new ternary intermetallic compound $Nb_5Sn_{1.5}Ge_{1.5}$, L5

Gadolinium
synthesis and physical properties of the $Yb_{1-x}GdTe$ solid solution 229
Germanium
flux growth and characterization of a new ternary intermetallic compound $Nb_5Sn_{1.5}Ge_{1.5}$, L5
hydrogen sorption properties of $D8_8$-type systems: IV. Y_5Ge_3 and Y_5Si_3–Y_5Ge_3 solid solutions, 91
hyperfine magnetic field in ferromagnetic UMn_2Si_2 and UMn_2Ge_2, 385
magnetic ordering in the ternary germanides $U_2Co_3Ge_5$ and UCo_2Ge_2, 413
specific heat and a.c. susceptibility measurements of $SmMn_2Ge_2$ and UMn_2Ge_2, 249
Gold
electrical and magnetic properties of the pseudobinary system $(U_{1-x}Th_x)_{14}Au_{51}$, 125
linear anions $[CuAs_2]^{5-}$, $[AuP_2]^{5-}$ and $[AuAs_2]^{5-}$ in potassium compounds, 431

Heat treatment
direct representation of phase equilibria in binary transition metal–nitrogen systems by means of temperature gradient diffusion couples, 205
the effect of heat treatment on the microstructure and magnetic properties of sintered magnets produced from Nd–Fe–B based alloys with and without Cu substitution, 325
Holmium
crystal structure determination of the misfit layer compound $(HoS)_{1.23}NbS_2$, 369
Hydriding
Zr_2FeH_x system hydrided at low temperatures: structural aspects by Mossbauer and X-ray diffraction studies, 393

Hydrogen
calcium magnesium nickel (0) tetrahydride, $CaMgNiH_4$, containing tetrahedral $[NiH_4]^{4-}$ complex anions: the first quaternary transition metal hydride, 173
coercivity in hydrogen-decrepitated Sm_2Co_{17}-type compounds, 23
hydrogen sorption properties of $D8_8$–type systems: IV. Y_5Ge_3 and Y_5Si_3–Y_5Ge_3 solid solutions, 91
hydrogen-stabilized $Mg_2RhH_{1.1}$ with filled Ti_2Ni-type structure, 167
orthorhombic dimagnesium ruthenium tetrahydride containing a diamagnetic $[RuH_4]^{4-}$ complex anion with C_{2v} symmetry, 161
Zr_2FeH_x system hydrided at low temperatures: structural aspects by Mössbauer and X-ray diffraction studies, 393
Hydrolysis
hydrolysis and structure of carbides related to propadiene, 285

Indium
copper in In_2S_3: a study by X-ray diffraction, diffuse reflectance and X-ray absorption, 297
Ionic conductivities
crystal structures and silver ionic conductivities of the new compounds Ag_7NbS_6, Ag_7TaSe_6 and $Ag_{7-x}TaSe_{6-x}I_x$ ($0.1 \leqslant x \leqslant 0.5$), 315
Iron
magnetic phase transitions in the system La(Fe, Co, Al)$_{13}$ at high pressures, 403
neutron diffraction reinvestigation of $Fe_{1/2}Cu_{1/2}Rh_2S_4$, 51
nuclear magnetic resonance and Mössbauer effect studies of $Sm_2Fe_{17}N_x$ and $Y_2Fe_{17}N_x$ compounds, 139
on the structural and magnetic properties of the new ternary nitride series $R_2Fe_{17}N_x$, 15
preparation and electrical transport properties of pyrite (FeS_2) single crystals, 181
products of crystallization of amorphous alloy of $Fe_{77}Cr_4P_8C_{11}$ and sequences of precipitation, 117
the effect of heat treatment on the microstructure and magnetic properties of sintered magnets produced from Nd–Fe–B based alloys with and without Cu substitution, 325
vanadium carbides formed from the melt by solidification in Fe–V–X–C alloys (X ≡ Cr, Mo, Nb), 71
Zr_2FeH_x system hydrided at low temperatures: structural aspects by Mössbauer and X-ray diffraction studies, 393

Lanthanum
magnetic phase transitions in the system La(Fe, Co, Al)$_{13}$ at high pressures, 403
Lead
a.c. susceptibility study of quenched and annealed samples of polycrystalline $Bi_{1.65}Pb_{0.35}Sr_2Ca_2Cu_3O_y$, 41
niobium antidiffusion barrier reactivity in tin-doped, *in situ* $PbMo_6S_8$-based wires, 447
Linear anions
linear anions $[CuAs_2]^{5-}$, $[AuP_2]^{5-}$ and $[AuAs_2]^{5-}$ in potassium compounds, 431

Magnesium
calcium magnesium nickel (0) tetrahydride, $CaMgNiH_4$, containing tetrahedral $[NiH_4]^{4-}$ complex anions: the first quaternary transition metal hydride, 173
hydrogen-stabilized $Mg_2RhH_{1.1}$ with filled Ti_2Ni-type structure, 167
Magnetic fields
hyperfine magnetic field in ferromagnetic UMn_2Si_2 and UMn_2Ge_2, 385
Magnetic ordering
magnetic ordering in silicon defect Nd–Si compounds studied by neutron diffraction and magnetic measurements, 151
magnetic ordering in the ternary germanides $U_2Co_3Ge_5$ and UCo_2Ge_2, 413
Magnetic phase transitions
magnetic phase transitions in the system La(Fe, Co, Al)$_{13}$ at high pressures, 403
magnetic phase transition in tetragonal rare earth intermetallics, 1
Magnetic properties
electrical and magnetic properties of the pseudobinary system $(U_{1-x}Th_x)_{14}Au_{51}$, 125

on the structural and magnetic properties of the new ternary nitride series $R_2Fe_{17}N_x$, 15
the effect of heat treatment on the microstructure and magnetic properties of sintered magnets produced from Nd–Fe–B based alloys with and without Cu substitution, 325
Manganese
hyperfine magnetic field in ferromagnetic UMn_2Si_2 and UMn_2Ge_2, 385
specific heat and a.c. susceptibility measurements of $SmMn_2Ge_2$ and UMn_2Ge_2, 249
specific heat capacity of $Mn_{1+\Delta}As_{1-x}Sb_x$ single crystals, 237
thermodynamics and phase equilibria in the Al–Mn system, 343
Microstructure
the effect of heat treatment on the microstructure and magnetic properties of sintered magnets produced from Nd–Fe–B based alloys with and without Cu substitution, 325
Misfit layer compound
crystal structure determination of the misfit layer compound $(HoS)_{1.23}NbS_2$, 369
structures of misfit layer compounds $(MS)_nTS_2$ (M ≡ Sn, Pb, Bi, rare earth metals; T ≡ Nb, Ta, Ti, V, Cr; $1.08 < n < 1.23$), 351
Mixed valence
substitution effects on mixed valence in ternary intermetallics, 217
Molybdenum
niobium antidiffusion barrier reactivity in tin-doped, *in situ* $PbMo_6S_8$-based wires, 447
the crystal structure of $Cr_{1.73}Mo_6S_8$, 467
Morphology
vanadium carbides formed from the melt by solidification in Fe–V–X–C alloys (X ≡ Cr, Mo, Nb), 71
Mössbauer spectroscopy
europium valence transition in $EuCu_2Si_2$ and $EuPd_2Si_2$ investigated with ^{119}Sn Mössbauer spectroscopy, 423
Mössbauer studies
nuclear magnetic resonance and Mössbauer effect studies of $Sm_2Fe_{17}N_x$ and $Y_2Fe_{17}N_x$ compounds, 139
Zr_2FeH_x system hydrided at low temperatures: structural aspects by Mössbauer and X-ray diffraction studies, 393

Neodymium
crystal structure determination of the misfit layer compound $(HoS)_{1.23}NbS_2$, 369
magnetic ordering in silicon defect Nd–Si compounds studied by neutron diffraction and magnetic measurements, 151
the effect of heat treatment on the microstructure and magnetic properties of sintered magnets produced from Nd–Fe–B based alloys with and without Cu substitution, 325
Neutron diffraction
magnetic ordering in silicon defect Nd–Si compounds studied by neutron diffraction and magnetic measurements, 151
neutron diffraction reinvestigation of $Fe_{1/2}Cu_{1/2}Rh_2S_4$, 51
Nickel
calcium magnesium nickel (0) tetrahydride, $CaMgNiH_4$, containing tetrahedral $[NiH_4]^{4-}$ complex anions: the first quaternary transition metal hydride, 173
electronic structure of the intermetallic compound Y_2Ni_{17}, 379
hydrogen-stabilized $Mg_2RhH_{1.1}$ with filled Ti_2Ni-type structure, 167
faint pre-martensitic phenomenon in NiTi with high *Ms*, L1
Niobium
flux growth and characterization of a new ternary intermetallic compound $Nb_5Sn_{1.5}Ge_{1.5}$, L5
niobium antidiffusion barrier reactivity in tin-doped, *in situ* $PbMo_6S_8$-based wires, 447
structural properties of the $Ti_{1-x}Nb_xS_2$ phase, 211
Nitrides
on the structural and magnetic properties of the new ternary nitride series $R_2Fe_{17}N_x$, 15
Nitrogen
nuclear magnetic resonance and Mössbauer effect studies of $Sm_2Fe_{17}N_x$ and $Y_2Fe_{17}N_x$ compounds, 139

Nuclear magnetic resonance
nuclear magnetic resonance and Mössbauer effect studies of $Sm_2Fe_{17}N_x$ and $Y_2Fe_{17}N_x$ compounds, 139

Oxide polyphosphides
synthesis and structure of the oxide polyphosphides $Na_3M_7(P_3)_3O$ (M ≡ Sr and Eu), 455
Oxides
interaction of oxides of 3d transition metals with boron, 131

Palladium
europium valence transition in $EuCu_2Si_2$ and $EuPd_2Si_2$ investigated with ^{119}Sn Mössbauer spectroscopy, 423
Phase equilibria
direct representation of phase equilibria in binary transition metal–nitrogen systems by means of temperature gradient diffusion couples, 205
thermodynamics and phase equilibria in the Al–Mn system, 343
Phosphorous
products of crystallization of amorphous alloy of $Fe_{77}Cr_4P_8C_{11}$ and sequences of precipitation, 117
Photoelectrochemical properties
structure and photoelectrochemical properties of semiconducting rhenium cluster chalcogenides: $Re_6X_8Br_2$ (X ≡ S, Se), 305
Platinum
structural distortion in RPt_2Sn_2 compounds (R ≡ rare earths), 223
Potassium
linear anions $[CuAs_2]^{5-}$, $[AuP_2]^{5-}$ and $[AuAs_2]^{5-}$ in potassium compounds, 431
Precipitation
products of crystallization of amorphous alloy of $Fe_{77}Cr_4P_8C_{11}$ and sequences of precipitation, 117
Propadiene
hydrolysis and structure of carbides related to propadiene, 285

Rare earths
magnetic phase transition in tetragonal rare earth intermetallics, 1
structures of misfit layer compounds $(MS)_nTS_2$ (M ≡ Sn, Pb, Bi, rare earth metals; T ≡ Nb, Ta, Ti, V, Cr; $1.08 < n < 1.23$), 351
structural distortion in RPt_2Sn_2 compounds (R ≡ rare earths), 223
Rhenium
structure and photoelectrochemical properties of semiconducting rhenium cluster chalcogenides: $Re_6X_8Br_2$ (X ≡ S, Se), 305
Rhodium
hydrogen-stabilized $Mg_2RhH_{1.1}$ with filled Ti_2Ni-type structure, 167
neutron diffraction reinvestigation of $Fe_{1/2}Cu_{1/2}Rh_2S_4$, 51
Ruthenium
orthorhombic dimagnesium ruthenium tetrahydride containing a diamagnetic $[RuH_4]^{4-}$ complex anion with C_{2v} symmetry, 161

Samarium
coercivity in hydrogen-decrepitated Sm_2Co_{17}-type compounds, 23
nuclear magnetic resonance and Mössbauer effect studies of $Sm_2Fe_{17}N_x$ and $Y_2Fe_{17}N_x$ compounds, 139
specific heat and a.c. susceptibility measurements of $SmMn_2Ge_2$ and UMn_2Ge_2, 249
Silicon
europium valence transition in $EuCu_2Si_2$ and $EuPd_2Si_2$ investigated with ^{119}Sn Mössbauer spectroscopy, 423
hydrogen sorption properties of $D8_5$–type systems: IV. Y_5Ge_3 and Y_5Si_3–Y_5Ge_3 solid solutions, 91
hyperfine magnetic field in ferromagnetic UMn_2Si_2 and UMn_2Ge_2, 385
magnetic ordering in silicon defect Nd–Si compounds studied by neutron diffraction and magnetic measurements, 151
Silver
a new phase in the Tl–Ag–Te system: crystal structure of $Tl_4Ag_{18}Te_{11}$, 85
crystal structures and silver ionic conductivities of the new compounds Ag_7NbS_6, Ag_7TaSe_6 and $Ag_{7-x}TaSe_{6-x}I_x$ ($0.1 \leqslant x \leqslant 0.5$), 315
syntheses and structures of $AgLnS_2$ (Ln ≡ Sm–Yb) compounds, 57
Single crystals
specific heat capacity of $Mn_{1+\Delta}As_{1-x}Sb_x$ single crystals, 237

Sodium
synthesis and structure of the oxide polyphosphides Na_3M_7 $(P_3)_3O$ (M ≡ Sr and Eu), 455
Solid solutions
hydrogen sorption properties of $D8_8$-type systems: IV. Y_5Ge_3 and Y_5Si_3–Y_5Ge_3 solid solutions, 91
synthesis and physical properties of the $Yb_{1-x}GdTe$ solid solution, 229
Sorption
hydrogen sorption properties of $D8_8$–type systems: IV. Y_5Ge_3 and Y_5Si_3–Y_5Ge_3 solid solutions, 91
Specific heat
specific heat and a.c. susceptibility measurements of $SmMn_2Ge_2$ and UMn_2Ge_2, 249
specific heat capacity of $Mn_{1+\Delta}$-$As_{1-x}Sb_x$ single crystals, 237
Stribium
specific heat capacity of $Mn_{1+\Delta}$-$As_{1-x}Sb_x$ single crystals, 237
study of the vaporization behaviour of Sb_2S_3 and Sb_2Te_3 from their vapour pressure measurements, 101
Strontium
a.c. susceptibility study of quenched and annealed samples of polycrystalline $Bi_{1.65}Pb_{0.35}Sr_2Ca_2Cu_3O_y$, 41
Structure
hydrolysis and structure of carbides related to propadiene, 285
on the structural and magnetic properties of the new ternary nitride series $R_2Fe_{17}N_x$, 15
structural distortion in RPt_2Sn_2 compounds (R ≡ rare earths), 223
structural properties of the $Ti_{1-x}Nb_xS_2$ phase, 211
structure and photoelectrochemical properties of semiconducting rhenium cluster chalcogenides: $Re_6X_8Br_2$ (X ≡ S, Se), 305
structures of misfit layer compounds $(MS)_nTS_2$ (M ≡ Sn, Pb, Bi, rare earth metals; T ≡ Nb, Ta, Ti, V, Cr; $1.08 < n < 1.23$), 351
syntheses and structures of $AgLnS_2$ (Ln ≡ Sm-Yb) compounds, 57
synthesis and structure of the oxide polyphosphides Na_3M_7 $(P_3)_3O$ (M ≡ Sr and Eu), 455
vanadium carbides formed from the melt by solidification in Fe–V–X–C alloys (X ≡ Cr, Mo, Nb), 71
Substitution effects
substitution effects on mixed valence in ternary intermetallics, 217
Sulphur
copper in In_2S_3: a study by X-ray diffraction, diffuse reflectance and X-ray absorption, 297
crystal and electronic structure of $Tl_xV_6S_8$: relation between thallium abundance and the thallium environment, 193
crystal structure determination of the misfit layer compound $(HoS)_{1.23}NbS_2$, 369
neutron diffraction reinvestigation of $Fe_{1/2}Cu_{1/2}Rh_2S_4$, 51
niobium antidiffusion barrier reactivity in tin-doped, *in situ* $PbMo_6S_8$-based wires, 447
preparation and electrical transport properties of pyrite (FeS_2) single crystals, 181
structural properties of the $Ti_{1-x}Nb_xS_2$ phase, 211
study of the vaporization behaviour of Sb_2S_3 and Sb_2Te_3 from their vapour pressure measurements, 101
synthesis and structures of $AgLnS_2$ (Ln ≡ Sm–Yb) compounds, 57
the crystal structure of $Cr_{1.73}Mo_6S_8$, 467
Synthesis
orthorhombic dimagnesium ruthenium tetrahydride containing a diamagnetic $[RuH_4]^{4-}$ complex anion with C_{2v} symmetry, 161
syntheses and structures of $AgLnS_2$ (Ln ≡ Sm–Yb) compounds, 57
syntheses of bulk and supported Chevrel phases, 441
synthesis and physical properties of the $Yb_{1-x}GdTe$ solid solution, 229
synthesis and structure of the oxide polyphosphides Na_3M_7 $(P_3)_3O$ (M ≡ Sr and Eu), 455

Tellurium
a new phase in the Tl–Ag–Te system: crystal structure of $Tl_4Ag_{18}Te_{11}$, 85
study of the vaporization behaviour of Sb_2S_3 and Sb_2Te_3 from their vapour pressure measurements, 101

synthesis and physical properties of the $Yb_{1-x}GdTe$ solid solution, 229
vacancy ordering and thermodynamic properties in V_3Te_4, 29
Ternary intermetallics
substitution effects on mixed valence in ternary intermetallics, 217
Thallium
a new phase in the Tl–Ag–Te system: crystal structure of $Tl_4Ag_{18}Te_{11}$, 85
crystal and electronic structure of $Tl_xV_6S_8$: relation between thallium abundance and the thallium environment, 193
Thermodynamics
thermodynamics and phase equilibria in the Al–Mn system, 343
vacancy ordering and thermodynamic properties in V_3Te_4, 29
Thorium
electrical and magnetic properties of the pseudobinary system $(U_{1-x}Th_x)_{14}Au_{51}$, 125
Tin
flux growth and characterization of a new ternary intermetallic compound $Nb_5Sn_{1.5}Ge_{1.5}$, L5
structural distortion in RPt_2Sn_2 compounds (R ≡ rare earths), 223
Titanium
a new phase in the Tl–Ag–Te system: crystal structure of $Tl_4Ag_{18}Te_{11}$, 85
hydrogen-stabilized $Mg_2RhH_{1.1}$ with filled Ti_2Ni-type structure, 167
faint pre-martensitic phenomenon in NiTi with high *Ms*, L1
structural properties of the $Ti_{1-x}Nb_xS_2$ phase, 211
Transition metal dichalcogenides
occurrence and characterization of anionic bondings in transition metal dichalcogenides, 253
Transition metals
direct representation of phase equilibria in binary transition metal–nitrogen systems by means of temperature gradient diffusion couples, 205
interaction of oxides of 3d transition metals with boron, 131

Uranium
electrical and magnetic properties of the pseudobinary system $(U_{1-x}Th_x)_{14}Au_{51}$, 125
hyperfine magnetic field in ferromagnetic UMn_2Si_2 and UMn_2Ge_2, 385
magnetic ordering in the ternary germanides $U_2Co_3Ge_5$ and UCo_2Ge_2, 413
specific heat and a.c. susceptibility measurements of $SmMn_2Ge_2$ and UMn_2Ge_2, 249

Valence transition
europium valence transition in $EuCu_2Si_2$ and $EuPd_2Si_2$ investigated with ^{119}Sn Mössbauer spectroscopy, 423
Vanadium
crystal and electronic structure of $Tl_xV_6S_8$: relation between thallium abundance and the thallium environment, 193
vacancy ordering and thermodynamic properties in V_3Te_4, 29
vanadium carbides formed from the melt by solidification in Fe–V–X–C alloys (X ≡ Cr, Mo, Nb), 71
Vaporization
study of the vaporization behaviour of Sb_2S_3 and Sb_2Te_3 from their vapour pressure measurements, 101

X-ray methods
copper in In_2S_3: a study by X-ray diffraction, diffuse reflectance and X-ray absorption, 297
Zr_2FeH_x system hydrided at low temperatures: structural aspects by Mössbauer and X-ray diffraction studies, 393

Ytterbium
synthesis and physical properties of the $Yb_{1-x}GdTe$ solid solution, 229
Yttrium
electronic structure of the intermetallic compound Y_2Ni_{17}, 379
hydrogen sorption properties of $D8_8$–type systems: IV. Y_5Ge_3 and Y_5Si_3–Y_5Ge_3 solid solutions, 91
nuclear magnetic resonance and Mössbauer effect studies of $Sm_2Fe_{17}N_x$ and $Y_2Fe_{17}N_x$ compounds, 139

Zirconium
Zr_2FeH_x system hydrided at low temperatures: structural aspects by Mössbauer and X-ray diffraction studies, 393